Magnetometer

VX1 Kit "Surface"

Modular UXO Detector Kit for use on land

Searching with Excellence





VX1 – Magnetometer Kit "Surface"

Modular UXO Detector Kit for use on land

The VX1 is a modular UXO detector system for ferrous object detection. It is extremely rugged and offers high search sensitivity. It is also easy to operate and meets toughest demands in civil, humanitarian and military ordnance disposal.

This versatile device quickly collects data in conjunction with data acquisition devices from VALLON. For professional data analysis and documentation, VALLON's product portfolio offers corresponding software solutions.

In addition, the detachable digital probe VSM4 offers outstanding flexibility, allowing it to be used in all VALLON multichannel systems.

- ✓ Modular magnetometer system for UXO detection down to great depths
- ✓ Polarity alarm indication by LED and audio signal
- No sensor adjustment required
- ✓ Interfaces: USB, Bluetooth[®] and serial
- ✓ Direct communication to VALLON Hard- and Software for datalogging
- Detachable digital probe VSM4 for flexible use in all VALLON multichannel systems



VX1 Kit "Surface" – Data Sheet

Technical Data and Features

TECHNICAL DATA

Sensor	Probe Sensor distance: 50 cm (19.69 in) Sensor tube diameter: Ø 3.2 cm (Ø 1.26 in) Measuring range: ± 20,000 nT
Alarm signal	Visual (LED) / Audio
Watertight	Device: IP68, 1.5 m (30 min at 20 °C) Digital probe VSM4: IP68, 60 m
Dimensions*	Backpack – Standard: 81 x 16 x 11 cm (31.89 x 6.30 x 4.33 in) Backpack in case – Standard: 84 x 30 x 17 cm (33.07 x 11.81 x 6.69 in) * <i>Tolerance</i> ± 3 %
Ambient conditions	In accordance with MIL-STD-810G (F501.4-I, II, F502.4-I, II, F503.4-I, F506.4-III, F512.4-II, F516.5-IV)
Ambient temperature	-31°C – + 63°C (-24°F – +145°F) Attention: Temperatures without field computer
Storage temperature	-33°C – +71°C (-27°F – +160°F) Attention: Temperatures without field computer
Weight*	Detector with/without standard battery 3.60 kg (7.94 lbs)/3.04 kg (6.70 lbs) Basic package – Detector with backpack and case, including standard scope of delivery 9.20 kg (20.28 lbs) *Tolerance ± 10 %
Disposable/ rechargeable battery	4 x Mono LR20 1.5 V alkaline battery – Standard 4 x Mono HR20 1.2 V NiMH rechargeable battery
Disposable/rechargeable battery operating time*	Alkaline batteries: About 75 h NiMH rechargeable batteries (10,000 mAh): About 75 h *Ambient temperature of about 20 °C, LR20: Varta Industrial, HR20: NiMH rechargeable batteries, without Bluetooth®

FEATURES

Bluetooth® interface for wireless data transfer

Waterproof up to 60 meters

Subject to change based on technological developments.

Scope of delivery VX1 Kit "Surface"

Basic package | Item No. 2003170000





Backpack VX1 Item No. 8903170610



Carrying strap VX1 Item No. 8903170820



Case VX1 Item No. 2903170410



Alkaline battery 1.5 V Mono LR20, 4 ea. Item No. 5910001006S4





Operation manual VX1 Item No. 2903170330



Control unit VX1 Item No. 2903170040



Backpack packing sketch VX1 Item No. 8903170890



Digital probe VSM4 Item No. 2005320010



Headset VX1/VXT1 Item No. 2903170320

Accessories

Magnetometer VX1 Kit "Surface"



Hard case VX1 with insert Item No. 2903170530



Rechargeable battery NiMH 1,2 V Mono HR20/10.000 mAh Item No. 5920001006

Data Acquisition and Evaluation



>

>

Borehole-Upgrade



Carrying bag VX1 cable drum Item No. 2903170401





Tranport bag for digital probe VSM4 Item No. 2903170450



External battery charger 100-240V/50-60Hz. 12V Item No. 2909990847



Alkaline battery 1.5 V Mono LR20 Item No. 5910001006



Alkaline battery 1.5 V Mono LR20, 4 ea. Item No. 5920001006S4



EVA4mobile[®] – Integrated license in combination with field computer VFC4.1 Item No. 2405350010



Cable drum VX1, 25 m (completely) Item No. 2903170240



VFC4 – Small Field Computer for EVA4mobile® Item No. 2005350001



Cable drum VX1 SEPOS®, 15/12 m (completely) Item No. 2903170460



EVA4mobile[®] – Bluetooth[®] Beacon for temporary license activation Item No. 2009080000



Connection cable SEPOS®-Borehole (VX1) Item No. 2503170040



EVA4ALL® – Evaluation Software for Surface and Borehole Survey Item No. 2009090000



Item No. 2900130130



Hand switch start/stop VX1 Item No. 2503170160





Detector SEPOS®-Borehole

EVA4ALL®



VALLON – A strong Partner

Experience is irreplaceable

As a family-run business from Eningen in Germany we became a global player within the field of explosive ordnance detection and the assessment of contaminated sites. All our activities focus on providing our customers with the best product for the respective application.

GUIDANCE

From the initial contact to the selection of the optimal detector system and to the point of the professional start of operation – VALLON accompanies the complete process and supports you in a competent and professional manner.

DETECTORS

Our product portfolio includes efficient solutions for detecting mines, improvised explosive devices (IEDs) and unexploded ordnance (UXO) – for the use on land, underwater and in boreholes.

SOFTWARE

With the EVA4mobile[®] and the EVA4ALL[®] VALLON offers powerful software for data acquisition, evaluation and documentation. The firmware of VALLONs fourth generation of metal detectors is subject to continuous further development and can be adapted to satisfy specific customer requirements.

TRAINING

In order to optimally prepare the user for their daily work VALLON offers custom-tailored training. The training courses can take place upon agreement on site or directly at VALLON in Eningen, Germany.







THE PATH TO BECOMING A GLOBAL PLAYER

With the number and complexity of humanitarian crises on the rise, the challenges involved in demining and ordnance clearance also increase. Explosive ordnance poses a threat to the lives and livelihoods of people living in crisis regions. Despite long-term, considerable effort in the countries with the clearance of contaminated territory, the danger has still not been eliminated in many places. VALLON metal detectors provide valuable assistance.

Learn more under www.vallon.de/en/history



Vallon GmbH

Arbachtalstraße 10 72800 Eningen, Germany Phone +49 7121 9855-0 info@vallon.de www.vallon.de

